



#### State Water Resources Control Board

# CERTIFIED FULL CAPTURE SYSTEM LIST OF TRASH TREATMENT CONTROL DEVICES (Updated May 2022)

#### **Trash Provisions**

In accordance with the Trash Provisions,<sup>1</sup> all trash treatment control devices (Devices) installed after December 2, 2015, shall meet the Full Capture System definition<sup>2</sup> and be certified by the State Water Resources Control Board (State Water Board) Executive Director, or designee, prior to installation. The Devices included on this list are either new Device applications certified by the State Water Board after adoption of the Trash Provisions or grandfathered device fact sheets listed by the San Francisco Regional Water Board prior to the adoption of the Trash Provisions.

The Trash Provisions require that only Certified Full Capture Devices may be installed, and that the Devices be designed according to the following criteria:

- Sized to treat not less than the peak flowrate resulting from a one-year, one-hour storm event (design storm) or at least the same peak flows from the corresponding storm drain;
- 2. Do not bypass trash below the design storm under maximum operational loading conditions; and
- 3. Trap all particles 5-millimeters or greater up to the design flow<sup>3</sup> or at least the same

<sup>1</sup> Amendment to the Water Quality Control Plan for Ocean Waters of California to Control Trash and Part 1 Trash Provisions of the Water Quality Control Plan for Inland Surface Waters, Enclosed Bays, And Estuaries of California adopted by the State Water Board.

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

<sup>&</sup>lt;sup>2</sup> A Full Capture System is a treatment control, or series of treatment controls, including but not limited to, a multi-benefit project or a low-impact development control that traps all particles that are 5-millimeter or greater, and has a design treatment capacity that is either: of not less than the peak flow rate, Q, resulting from a one-year, one-hour storm in the subdrainage area, or b) appropriately sized to, and designed to carry at least the same flows as, the corresponding storm drain.

The region specific one-year, one-hour storm (or design flow) may be obtained from the <u>National Oceanic and Atmospheric Precipitation Estimates</u> (https://www.weather.gov/media/owp/oh/hdsc/docs/Atlas14\_Volume6.pdf)

peak flows from the corresponding storm drain; and do not have a diversion structure present upstream such that a portion of the peak flow is not treated to trap all particles 5-millimeter or greater.

#### **Vector Control Accessibility**

According to the California Health and Safety Code<sup>4</sup>, California landowners are legally responsible to abate (eliminate the source of) a public nuisance arising from their property, including mosquitoes. Mosquito vector control districts have substantial authority to access public and private property, inspect known or suspected sources of mosquitoes, abate mosquito sources, and charge the landowner for work performed and/or charge fees if a landowner is unwilling or unable to address a mosquito source arising from their property.

Depending on the design, certain Devices may impede the mosquito vector control district's ability to (1) visually inspect the Device and/or storm vault for mosquito breeding, and (2) apply the appropriate chemical treatment. Moreover, some devices may create a habitat for mosquitoes. Prior to installation of any certified Device, the local mosquito vector control district should be contacted to ensure the installation conforms to the district's visual inspection, treatment, and vector breeding minimizing guidelines. The Mosquito Vector Control Association of California may be contacted via email at <a href="mailto:Trashtreatment@mvcac.org">Trashtreatment@mvcac.org</a>.

#### **New Device Application Certification or Fact Sheet Update**

To apply for certification of a new Device, or to update a grandfathered Device fact sheet, the Device owner shall submit an application/fact sheet in accordance with the <u>Trash Treatment Control Device Certification and Fact Sheet Update Requirements</u>. Upon determining that a Device application is complete and meets the definition of a trash full capture system and is approved by the Mosquito Vector Control Association of California, the Executive Director will place the Device on the State Water Board's Certified Full Capture System List of Trash Treatment Control Devices.

The Trash Treatment Control Device Certification and Fact Sheet Update Requirements is found on the State Water Board's <u>Trash Implementation Program webpage</u> (www.waterboards.ca.gov/water\_issues/programs/stormwater/trash\_implementation.ht ml).

Certification of any Device does not constitute an endorsement by the State Water Board. The Executive Director reserves the right to de-certify and remove any Device from this list that does not satisfy the requirements of the Trash Provisions, such as but not limited to when a Device is discontinued, found to not trap trash in accordance with

<sup>&</sup>lt;sup>4</sup> Health & Safety Code sections 2001- 4(d); 2002; 2060 (b) and Health & Safety Code sections 2060-2067, 100170, and 100175.

the Trash Provisions, or no longer has Mosquito Vector Control Association of California approval.

Device applications and fact sheets may be obtained at: <a href="https://www.casqa.org/resources/trash/certified-full-capture-system-trash-treatment-control-devices">https://www.casqa.org/resources/trash/certified-full-capture-system-trash-treatment-control-devices</a>.

Questions regarding certification should be directed to Leo Cosentini at (916) 341-5524 or email address (leo.cosentini@waterboards.ca.gov).

**TABLE 1. Catch Basin Inserts and Other Trash Devices** 

| Owner                                  | Full Capture System Trash<br>Device Brand Name | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector Control Accessibility Verified |
|----------------------------------------|------------------------------------------------|--------------------------------------------------------|--------------------------------------------|
| AbTech, Industries                     | Ultra Urban Filter Curb<br>Opening and Drop-In | Application 25<br>05/01/20                             | 04/8/20                                    |
| Advanced Drainage Systems, Inc.        | FLEXSTORM PURE Full Trash Capture Inserts      | Application 3<br>03/15/18<br>Updated 04/21/21          | 03/30/21                                   |
| Advanced Drainage Systems, Inc.        | FLEXSTORM<br>Connector Pipe Screen             | ADS-1<br>Updated 06/08/21                              | 03/30/21                                   |
| Bio Clean Environmental Services, Inc. | Curb Inlet and Grate<br>Inlet Filters          | Application<br>403/15/18<br>Updated 10/21/21           | 10/20/21                                   |
| Bio Clean Environmental Services, Inc. | Modular Connector Pipe<br>Trash Screen         | BC-3<br>Updated 04/30/20                               | 03/10/20                                   |
| BrightWater                            | Connector Pipe Screen                          | Application 29<br>03/15/18<br>Updated 12/28/20         | 11/19/20                                   |
| BrightWater                            | Curb Inlet Filter                              | Application 26<br>06/30/20                             | 04/17/20                                   |

| Owner                                                   | Full Capture System Trash<br>Device Brand Name                         | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|---------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| Ecology Control Industries                              | Debris Dam - Catch Basin<br>Insert for Curb Inlet Design               | ECI-1<br>Updated 06/17/20                              | 04/29/20                                            |
| Enviropod International: A Stormwater 360 Group Company | Enviropod® LittaTrap™ Full<br>Capture                                  | Application 27<br>10/15/20                             | 07/20/20                                            |
| Filtrexx Sustainable Technologies                       | StormExx® Clean                                                        | Application 16<br>08/10/18<br>Updated 11/25/19         | 12/06/19                                            |
| Frog Creek Partners, LLC                                | Gutter Bin® Channel<br>Filtration System & Mundus<br>Bag® Water Filter | Application 24<br>06/26/19                             | 04/19/19                                            |
| Frog Creek Partners, LLC                                | Gutter Bin® Eco Drop Inlet<br>Filter & Mundus Bag® Water<br>Filter     | Application 23<br>02/18/20                             | 12/06/19                                            |
| Frog Creek Partners, LLC                                | Gutter Bin® Eco Curb Inlet<br>Filter & Mundus Bag® Water<br>Filter     | Application 22<br>02/18/20                             | 10/11/19                                            |

| Owner                     | Full Capture System Trash<br>Device Brand Name                                                   | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|---------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| G2 Construction, Inc.     | G2 CPS-Mod™ and<br>Removable CPS-Mod™<br>Screen                                                  | Application 18<br>06/26/19                             | 03/15/19                                            |
| G2 Construction, Inc.     | G2 Grated Inlet Trash<br>Screen                                                                  | Application 19<br>06/26/19                             | 04/10/19                                            |
| Inventive Resources, Inc. | Water Decontaminator                                                                             | Application 2<br>03/15/18<br>Updated 02/05/21          | 04/20/20                                            |
| Oldcastle Infrastructure  | FloGard® + Plus® Catchbasin<br>Trash Screen Insert,<br>Combination Inlet Style Drop<br>in Basket | OI-1<br>Updated 06/09/21                               | 06/09/21                                            |
| Oldcastle Infrastructure  | FloGard® Catchbasin Trash<br>Screen Insert, Flat Grated Inlet<br>Style Drop in Basket            | OI-2<br>Updated 06/09/21                               | 06/09/21                                            |
| Oldcastle Infrastructure  | FloGard® Catchbasin Outlet Trash Screen Insert Connector Pipe Screen                             | OI-3<br>Updated 11/29/19                               | 12/06/19                                            |

| Owner                                   | Full Capture System Trash<br>Device Brand Name                                                 | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|-----------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| Revel Environmental Manufacturing, Inc. | Triton™ Bioflex Inlet Trash<br>Guard Catchbasin Polyester<br>Fiber Mesh Trash Filter<br>Insert | REM-1<br>Updated 09/10/21                              | 09/07/21                                            |
| Revel Environmental Manufacturing, Inc. | Triton™ Crescent Pipe<br>Screen                                                                | Application 12<br>07/10/18                             | 03/15/19                                            |
| Revel Environmental Manufacturing, Inc. | Triton Perf-Full Trash<br>Capture Insert                                                       | Application 13<br>07/10/18<br>Updated: 12/21/21        | 12/20/21                                            |
| Safe Drain Stormwater Holdings Inc.     | Storm Vector Guard                                                                             | Application 30<br>02/11/21                             | 12/17/20                                            |
| Stormtek                                | Stormtek ST3 & STEG<br>Catchbasin Connector Pipe                                               | AS-1, A1S-2<br>Updated 08/12/21                        | 08/04/21                                            |
| United Stormwater, Inc.                 | Connector Pipe Trash<br>Screen                                                                 | USW-1<br>Updated 01/29/22                              | 01/26/22                                            |

TABLE 2. High Flow Capacity Trash Devices

| Owner                                  | Full Capture System Trash<br>Device Brand Name | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|----------------------------------------|------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| AquaShield, Inc.                       | Aqua-Swirl® Stormwater<br>Treatment System     | Application 1<br>08/04/17<br>Updated 11/06/20          | 12/03/20                                            |
| Advanced Drainage Systems Inc.         | Barracuda Hydrodynamic<br>Separator            | Application 21<br>06/26/19<br>Updated 05/21/21         | 03/15/19                                            |
| Bio Clean Environmental Services, Inc. | Debris Separating Baffle<br>Box                | Application 6<br>03/15/18                              | 07/28/20                                            |
| Bio Clean Environmental Services, Inc. | BioClean<br>DeflectiveScreening<br>Device      | Application 20<br>06/26/19                             | 07/28/20                                            |
| Bio Clean Environmental Services, Inc. | Modular Wetland System®                        | Application 15<br>07/10/18                             | 03/15/19                                            |
| Coanda Inc.                            | Coanda Trash Screen and<br>Debris Fence        | COA-1<br>Updated 09/10/21                              | 09/07/21                                            |

| Owner                        | Full Capture System Trash<br>Device Brand Name                   | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|------------------------------|------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| Contech Engineered Solutions | Continuous Deflective<br>Separator Hydrodynamic<br>Separator     | CCP-1HF<br>Updated 05/27/21                            | 04/29/21                                            |
| Jensen Stormwater Systems    | Jensen® Deflective<br>Separators                                 | Application 5<br>03/15/18                              | 12/06/19                                            |
| Hydro International          | Downstream Defender (In-<br>Line and Off-Line<br>Configurations) | Application 14<br>07/10/18                             | 03/16/20                                            |
| Hydro International          | First Defense® High-<br>Capacity Full Trash Capture<br>Device    | Application 28<br>10/30/20                             | 08/20/20                                            |
| Hydro International          | Hydro Up-Flo Filter®                                             | Application 11<br>07/18/18                             | 03/16/20                                            |
| Hydro International          | Hydro DryScreen                                                  | Application 10<br>07/10/18<br>Updated 05/05/21         | 04/29/21                                            |

| Owner                    | Full Capture System Trash<br>Device Brand Name                            | Date Application<br>Certified or Fact<br>Sheet Updated | Date Vector<br>Control<br>Accessibility<br>Verified |
|--------------------------|---------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------|
| Oldcastle Infrastructure | FloGard® NetTech                                                          | OI-11HF<br>Updated 12/08/20                            | 12/03/20                                            |
| Oldcastle Infrastructure | Nutrient Separating Baffle<br>Box®                                        | Application 17<br>10/12/18<br>Updated 07/21/20         | 05/01/20                                            |
| Roscoe Moss Company      | Storm Flo® Trash Screen –<br>Linear Radial Gross Solids<br>Removal Device | RMC-1HF<br>Updated 03/30/21                            | 03/11/21                                            |
| StormTrap                | TrashTrap Net and Fixed<br>Basket In-Line Stormwater<br>Treatment System  | Application 34<br>05/03/22                             | 05/03/22                                            |
| StormTrap                | SiteSaver®                                                                | Application 9<br>03/15/18<br>Updated 02/23/21          | 03/18/21                                            |